

Question # 1 of 10 (Start time: 03:14:14 PM, 28 November 2017)

Total Marks: 1

Pattern . Variable

Upon successful completion of pattern matching, the substring matched by the pattern is assigned to the variable as _____

Select the correct option

<input checked="" type="radio"/>	Value	CORRECT ANSWER SOLVED BY HADI CELL NO : +923218043306 EMAIL : usmanraj20@gmail.com	//
<input type="radio"/>	String		//
<input type="radio"/>	Integer		//
<input type="radio"/>	Real numbers	MADE BY HADI	//

Question # 2 of 10 (Start time: 03:15:37 PM, 28 November 2017)

Total Marks: 1

Block statement in Ada is very similar to a block in _____.

Select the correct option

<input type="radio"/>	SNOBOL	
<input checked="" type="radio"/>	C	CORRECT ANSWER SOLVED BY HADI CELL NO : +923228043306 EMAIL : usmanraj20@gmail.com
<input type="radio"/>	FORTRAN	
<input type="radio"/>	Both SNOBOL and FORTRAN	

MADE BY HADI

Question # 3 of 10 (Start time: 03:16:45 PM, 28 November 2017)

Total Marks: 1

LISP was basically developed to solve _____ problems.

Select the correct option

<input checked="" type="radio"/>	Artificial intelligence	CORRECT ANSWER SOLVED BY HADI CELL NO : +923228043306 EMAIL : usmanraj20@gmail.com	//
<input type="radio"/>	Accounting		//
<input type="radio"/>	Scientific		//
<input type="radio"/>	Business		//

MADE BY HADI

Question # 4 of 10 (Start time: 03:18:39 PM, 28 November 2017)

Total Marks: 1

Learning curve is _____ proportional to the number of basic components.

Select the correct option

<input checked="" type="radio"/>	directly	CORRECT ANSWER SOLVED BY HADI CELL NO : +923228043306 EMAIL : usmanraj20@gmail.com	//
<input type="radio"/>	indirectly		//
<input type="radio"/>	both directly and indirectly		//
<input type="radio"/>	neither directly nor indirectly		//

MADE BY HADI

Question # 5 of 10 (Start time: 03:20:05 PM, 28 November 2017)

Total Marks: 1

"Everything for everybody" was the motive of the language

Select the correct option

<input type="radio"/>	COBOL	
<input type="radio"/>	LISP	
<input checked="" type="radio"/>	PL/1	Check please
<input type="radio"/>	JAVA	

MADE BY HADI

Question # 6 of 10 (Start time: 03:21:47 PM, 28 November 2017)

Total Marks: 1

SIZE function in SONOBOL language is used to return the size of _____

Select the correct option

<input checked="" type="radio"/>	String	CORRECT ANSWER SOLVED BY HADI CELL NO : +923228043306 EMAIL : usmanraj20@gmail.com	//
<input type="radio"/>	Operator		//
<input type="radio"/>	Variable		//
<input type="radio"/>	Keyword	MADE BY HADI	//

Question # 9 of 10 (Start time: 03:26:44 PM, 28 November 2017)

Total Marks: 1

Which of the following is true about Dot operator (.) in SNOBOL?

Select the correct option

<input checked="" type="radio"/>	Unary operator	CORRECT ANSWER SOLVED BY HADI CELL NO : +923228043306 EMAIL : usmanraj20@gmail.com	
<input type="radio"/>	Binary operator		
<input type="radio"/>	Reference pointer		
<input type="radio"/>	Class pointer		

MADE BY HADI

Question # 10 of 10 (Start time: 03:27:48 PM, 28 November 2017)

Total Marks: 1

COBOL was the first language that brings the concept of _____.

book

Select the correct option

<input type="radio"/>	Records	
<input checked="" type="radio"/>	Structure	CORRECT ANSWER SOLVED BY HADI CELL NO : +923228043306 EMAIL : usmanraaj20@gmail.com
<input type="radio"/>	Object	
<input type="radio"/>	Variable	MADE BY HADI