

**RIZ MUGHAL**

# QUIZ MASTER

## Grand Quiz(CS101)

100% correct solution.

For more information you can visit my channel and for any type of help related to CS619 you can contact me.



### **YOUTUBE CHANNEL:**

<https://www.youtube.com/channel/UCINsFwDiB62SValCcPDZbRQ/playlists>

### **FACEBOOK GROUP:**

<https://www.facebook.com/groups/923887914750307>

CS101:Grand Quiz

Question # 1 of 30 ( Start time: 09:51:26 AM, 02 January 2021 )

\_\_\_\_\_connects computer over a large geographical area or world

Select the correct option

- |                                  |     |
|----------------------------------|-----|
| <input type="radio"/>            | PAN |
| <input type="radio"/>            | LAN |
| <input checked="" type="radio"/> | WAN |
| <input type="radio"/>            | MAN |

RIZ MUGHAL

Question # 2 of 30 ( Start time: 09:51:50 AM, 02 January 2021 )

To control access to the printer, the \_\_\_\_\_ must keep track of whether the printer has been allocated

Select the correct option

<input type="radio"/>	Process
<input checked="" type="radio"/>	Operating systems
<input type="radio"/>	Windows
<input type="radio"/>	Booting

RIZ MUGHAL

CS101:Grand Quiz

Question # 3 of 30 ( Start time: 09:52:25 AM, 02 January 202

\_\_\_\_\_ loop structure referred to as a posttest loop

Select the correct option

<input type="radio"/>	While
<input checked="" type="radio"/>	Repeat
<input type="radio"/>	For
<input type="radio"/>	For each

RIZ MUGHAL



Question # 4 of 30 ( Start time: 09:52:42 AM, 02 January 2021 )

By using MPEG and MP3 compression techniques, video cameras are able to record video within \_\_\_\_\_

Select the correct option

- |                                  |                   |
|----------------------------------|-------------------|
| <input type="radio"/>            | 128 GB storage    |
| <input type="radio"/>            | 28 MB storage     |
| <input checked="" type="radio"/> | 128 MB of storage |
| <input type="radio"/>            | 8 GB storage      |

RIZ MUGHAL

CS101:Grand Quiz

Question # 5 of 30 ( Start time: 09:52:58 AM, 02 January 2021 )

Who introduce the idea of storing the program in main memory?

Select the correct option

- |                                  |                  |
|----------------------------------|------------------|
| <input type="radio"/>            | John W.Mauchly   |
| <input checked="" type="radio"/> | John Von Neumann |
| <input type="radio"/>            | J.Presper Eckert |
| <input type="radio"/>            | Konrad zuse      |

RIZ MUGHAL

Question # 6 of 30 ( Start time: 09:53:16 AM, 02 January 2021 )

Total Ma

In the reverse engineering process, what refers to the sophistication of the design information that can be extracted from the source code?

Select the correct option

<input type="radio"/>	interactivity
<input checked="" type="radio"/>	completeness
<input type="radio"/>	abstraction level
<input type="radio"/>	direction level

RIZ MUGHAL

CS101:Grand Quiz

Question # 7 of 30 ( Start time: 09:53:35 AM, 02 January 2021 )

When we use \_\_\_\_\_ tag while searching it shows only particular pages related to it.

Select the correct option

<input type="radio"/>	@
<input type="radio"/>	*
<input type="radio"/>	''
<input checked="" type="radio"/>	#

RIZ MUGHAL



CS101:Grand Quiz

Question # 8 of 30 ( Start time: 09:53:50 AM, 02 January 2021 )

In CS, we store and link data in an organized way using

Select the correct option

<input type="radio"/>	SDLC
<input type="radio"/>	MSDB
<input type="radio"/>	DMBS
<input checked="" type="checkbox"/>	DBMS

RIZ MUGHAL

CS101:Grand Quiz

Question # 9 of 30 ( Start time: 09:54:05 AM, 02 January 2021 )

Termination condition is \_\_\_\_\_.

Select the correct option

- |                                     |                                     |
|-------------------------------------|-------------------------------------|
| <input checked="" type="checkbox"/> | Negation of the condition appearing |
| <input type="checkbox"/>            | Supporting condition                |
| <input type="checkbox"/>            | Halting process                     |
| <input type="checkbox"/>            | Logical error                       |

Question # 10 of 30 ( Start time: 09:54:19 AM, 02 January 2021 )

If we are interested to see the map of some location, we can use map operator in the following way:

Select the correct option

- |                                  |               |
|----------------------------------|---------------|
| <input type="radio"/>            | Location: map |
| <input checked="" type="radio"/> | Map: Location |
| <input type="radio"/>            | Mph: map      |
| <input type="radio"/>            | Locations     |

RIZ MUGHAL

CS101:Grand Quiz

Question # 11 of 30 ( Start time: 09:54:35 AM, 02 January 2021 )

The node or PC which sends requests for services is called \_\_\_\_\_

Select the correct option

<input type="radio"/>	Server
<input checked="" type="radio"/>	Client
<input type="radio"/>	Protocol
<input type="radio"/>	ISP

RIZ MUGHAL



CS101:Grand Quiz

Question # 12 of 30 ( Start time: 09:54:51 AM, 02 January 2021 )

Which of the following technology is not related to the client side working?

Select the correct option

- |                                  |              |
|----------------------------------|--------------|
| <input type="radio"/>            | Java applets |
| <input type="radio"/>            | Javascript   |
| <input checked="" type="radio"/> | PHP          |
| <input type="radio"/>            | HTML         |

RIZ MUGHAL

CS101:Grand Quiz

Question # 13 of 30 ( Start time: 09:55:10 AM, 02 January 2021 )

In binary Addition  $1+0$  is =

Select the correct option

- |                                  |   |
|----------------------------------|---|
| <input type="radio"/>            | 8 |
| <input type="radio"/>            | 4 |
| <input type="radio"/>            | 2 |
| <input checked="" type="radio"/> | 1 |

RIZ MUGHAL

CS101:Grand Quiz

Question # 14 of 30 ( Start time: 09:55:28 AM, 02 January 20

Computer does not understand any language except:

Select the correct option

- |                                  |                      |
|----------------------------------|----------------------|
| <input type="radio"/>            | Machine language     |
| <input type="radio"/>            | Assembly language    |
| <input checked="" type="radio"/> | Binary language      |
| <input type="radio"/>            | Programming language |

RIZ MUGHAL

CS101:Grand Quiz

Question # 15 of 30 ( Start time: 09:55:45 AM, 02 January 2021 )

CPU required at least \_\_\_\_\_ to fetch the instruction from memory.

Select the correct option

- |                                  |                    |
|----------------------------------|--------------------|
| <input checked="" type="radio"/> | Two nanosecond     |
| <input type="radio"/>            | Nanosecond         |
| <input type="radio"/>            | Three nanosecond   |
| <input type="radio"/>            | One billion second |

RIZ MUGHAL



CS101:Grand Quiz

Question # 16 of 30 ( Start time: 09:56:00 AM, 02 January 2021 )

Each Textual Symbol is represented with a \_\_\_\_\_ pattern.

Select the correct option

- |                                  |            |
|----------------------------------|------------|
| <input type="radio"/>            | Kilo byte  |
| <input checked="" type="radio"/> | Unique bit |
| <input type="radio"/>            | Byte       |
| <input type="radio"/>            | Bit        |

RIZ MUGHAL

CS101:Grand Quiz

Question # 17 of 30 ( Start time: 09:56:13 AM, 02 January 2021 )

Which of the following is a disadvantage of a linear search?

Select the correct option

- |                                  |  |
|----------------------------------|--|
| <input type="radio"/>            | Requires more space  |
| <input checked="" type="radio"/> | Greater time complexities compared to other searching algorithms |
| <input type="radio"/>            | Not easy to understand   |
| <input type="radio"/>            | Not easy to implement  |

RIZ MUGHAL



CS101:Grand Quiz

Question # 18 of 30 ( Start time: 09:56:29 AM, 02 January 2021 )

In \_\_\_\_\_ digits on right side represent the fractional part.

Select the correct option

<input checked="" type="radio"/>	Fraction
<input type="radio"/>	Decimal
<input type="radio"/>	Hexadecimal
<input type="radio"/>	Binary

1 jaldi m miss hogya ☹

CS101:Grand Quiz

Question # 20 of 30 ( Start time: 09:57:00 AM, 02 January 2021 )

The control of a loop consists of the \_\_\_\_\_ activities.

Select the correct option

- |                                  |       |
|----------------------------------|-------|
| <input type="radio"/>            | Two   |
| <input checked="" type="radio"/> | Three |
| <input type="radio"/>            | Four  |
| <input type="radio"/>            | Five  |

RIZ MUGHAL



Question # 21 of 30 ( Start time: 09:57:31 AM, 02 January 2021 )

Step wise refinement is a \_\_\_\_ methodology in that it progresses from the general to the specific.

Select the correct option

<input type="radio"/>	Bottom up
<input checked="" type="radio"/>	Top down
<input type="radio"/>	Left to right
<input type="radio"/>	Right to left

RIZ MUGHAL

CS101:Grand Quiz

Question # 22 of 30 ( Start time: 09:58:04 AM, 02 January 2021 )

Which kind of server work as an intermediate between the client and server.

Select the correct option

<input type="radio"/>	Client server
<input type="radio"/>	Server computer
<input type="radio"/>	Super server
<input checked="" type="checkbox"/>	Proxy server

RIZ MUGHAL

CS101:Grand Quiz

Question # 23 of 30 ( Start time: 09:58:38 AM, 02 January 2021 )

The impact of truncation error can be reduced by using \_\_\_\_\_.

Select the correct option

- |                                  |                         |
|----------------------------------|-------------------------|
| <input type="radio"/>            | Longer exponent field   |
| <input type="radio"/>            | Positive exponent field |
| <input type="radio"/>            | Floating point notation |
| <input checked="" type="radio"/> | Longer mantissa field   |

## Question # 24 of 30 ( Start time: 09:59:12 AM, 02 January 2021 )

When you type a query in the search bar of google. Google finds all those pages which contains\_\_\_\_\_.

Select the correct option

- |                                  |                                      |
|----------------------------------|--------------------------------------|
| <input checked="" type="radio"/> | All the terms given in the query     |
| <input type="radio"/>            | None of the terms given in the query |
| <input type="radio"/>            | Some of the terms given in the query |
| <input type="radio"/>            | Random                               |



Question # 25 of 30 ( Start time: 09:59:32 AM, 02 January 2021 )

Software units that communicate with controller or sometime directly to peripheral devices called

Select the correct option

- |                                  |                  |
|----------------------------------|------------------|
| <input type="radio"/>            | Utility program  |
| <input type="radio"/>            | System software  |
| <input checked="" type="radio"/> | Device drivers   |
| <input type="radio"/>            | Operating system |

Question # 26 of 30 ( Start time: 09:59:50 AM, 02 January 2021 )

Process states include the value of the program counter as well as the contents of the \_\_\_\_\_

Select the correct option

- |                                  |                                    |
|----------------------------------|------------------------------------|
| <input type="radio"/>            | Related memory cells               |
| <input checked="" type="radio"/> | Registers and related memory cells |
| <input type="radio"/>            | Registers                          |
| <input type="radio"/>            | Registers and cache memory cells   |

RIZ MUGHAL

Question # 27 of 30 ( Start time: 10:00:04 AM, 02 January 2021 )

Post test loop structure refer to?

Select the correct option

- |                                  |   |
|----------------------------------|---|
| <input type="radio"/>            | Test for termination is performed before the body is executed     |
| <input type="radio"/>            | Test for termination is performed with the body is executed       |
| <input checked="" type="radio"/> | Test for termination is performed after the body is executed      |
| <input type="radio"/>            | Test for termination is performed as well as the body is executed |

Question # 28 of 30 ( Start time: 10:00:21 AM, 02 January 2021 )

Approximately how many entries a typical dictionary in a word processor can contain?

Select the correct option

- |                                  |                           |
|----------------------------------|---------------------------|
| <input checked="" type="radio"/> | 25,000 entries            |
| <input type="radio"/>            | 250,000 entries           |
| <input type="radio"/>            | 25,000 entries            |
| <input type="radio"/>            | More than 250,000 entries |



CS101:Grand Quiz

Question # 29 of 30 ( Start time: 10:00:40 AM, 02 January 2021 )

Previously how many bits were used to store 2's complement notation.

Select the correct option

- |                                  |          |
|----------------------------------|----------|
| <input type="radio"/>            | 8 bits   |
| <input checked="" type="radio"/> | 16 bits  |
| <input type="radio"/>            | 64 bits  |
| <input type="radio"/>            | 128 bits |

RIZ MUGHAL

Question # 30 of 30 ( Start time: 10:00:56 AM, 02 January 2021 )

Breaking the tasks into a number of subtasks compatible with the number of available processors is called \_\_\_\_\_

Select the correct option

- |                                  |                        |
|----------------------------------|------------------------|
| <input type="radio"/>            | Load Balancing         |
| <input checked="" type="radio"/> | Scaling                |
| <input type="radio"/>            | Interactive Processing |
| <input type="radio"/>            | Throughput             |